



## Hearworm Antigen-Anaplasma-Borrelia Burgdorferi-Ehrlichia Antibody Test Kit

For veterinary use only

English version 



### SNAP® 4Dx® Plus Test

In vitro diagnostic for the detection of *Dirofilaria immitis* antigen, antibody to *Anaplasma phagocytophylum*, antibody to *Anaplasma platys*, antibody to *Borrelia burgdorferi*, antibody to *Ehrlichia canis*, and antibody to *Ehrlichia ewingii* in canine serum, plasma, or whole blood.

#### Precautions and warnings

- All wastes should be properly decontaminated prior to disposal.
- Do not mix components from kits with different serial numbers.
- Do not use a SNAP device that has been activated prior to the addition of sample.
- Male-only heartworm infections typically produce antigen levels that are below the detection capability of this antigen test.
- Refer to country specific Material Safety Data Sheet for regional hazard identification.

#### Storage

- Store at 2–8°C until expiration date.
- SNAP devices and reagents can be stored at room temperature (18–25°C) for 6 months or until the expiration date, whichever occurs first.
- After SNAP devices and reagents are removed from 2–8°C for more than 24 hours, the expiration date is 6 months or the printed expiration date, whichever occurs first. If the 6 month expiration date occurs prior to the printed expiration date, record the new date in the space provided on the kit.

#### Kit components

Item	Reagents	Quantity
1	1 or 5 bottles Anti- <i>D. immitis</i> /A. <i>phagocytophylum</i> /A. <i>platys</i> /B. <i>burgdorferi</i> /E. <i>canis</i> /E. <i>ewingii</i> : HRPO conjugate (preserved with ProClin™ 150)	7.0 mL
2	SNAP device	5, 15, 30, or 180
Reagents contained in each device:	Wash solution (preserved with ProClin™ 150)	0.4 mL
Substrate solution		0.6 mL
Other components:	Transfer pipettes, sample tubes, and reagent rack	

